



# UNLEASH THE POWER



SUSTAINABLE



RELIABLE



TRUSTED  
BY LEADING  
MANUFACTURERS



ADNOC Lubricants, a division of ADNOC Distribution, was established in 1979 to manufacture market and distribute locally in the UAE and across international markets. ADNOC product range includes premium high-performance products covering automotive, industrial, marine and other specialty lubricants under the ADNOC Voyager brand using ADNOC's high-quality Group III base oil.

**NAS Tyre Services LTD is now an authorized distributor in Tanzania.**

### APPROVAL & PERFORMANCE - OEM APPROVALS



# DIESEL ENGINE OILS FOR TRUCKS

## Synthetic - ADNOC Voyager

ADNOC synthetic diesel engine oils are high-performance crankcase lubricants engineered for heavy-duty diesel applications. They provide exceptional thermal stability, low volatility, and superior load-carrying capacity while preventing sludge build-up.

Suitable for use in trucks, buses, construction machinery, mining equipment, and gensets.

- ADNOC Voyager Premium Plus  
SAE 5W-30 API CK-4/SN



## Semi-Synthetic ADNOC Voyager Plus - Engine Oils for Diesel and Gasoline

ADNOC semi-synthetic diesel engine oils are high-performance crankcase oils primarily for diesel engines. They provide excellent high-temperature properties, thermal stability, low volatility and good load-carrying capacity.

- ADNOC Voyager Plus  
SAE 15W-40 API CI-4/SL
- ADNOC Voyager Plus  
SAE 20W-50 API CI-4/SL.
- ADNOC Super Plus HD  
SAE 10W-40 API CK-4/SN.



# PETROL ENGINE OILS FOR CARS AND SUVs

ADNOC fully synthetic, API-approved petrol engine oils are advanced, energy-efficient lubricants crafted with premium hydro-cracked and hydro-treated base oils. They ensure optimal viscosity control, reduce oil consumption, and deliver reliable performance.

Recommended for both new-generation and older petrol cars and SUVs.

- Voyager Platinum Plus ECO  
SAE 5W-30 API SQ
- Voyager Gold  
SAE 5W-30 API SN
- Voyager Gold  
SAE 5W-40 API SN



## 2W / 3W FOUR STROKE OILS

4T Semi Synthetic lubricants are high-quality synthetic blend oils made from 100 percent virgin base oil, having JASO MA2 approvals. They meet the requirements of almost all engines in motorcycles running on 4-stroke engines.

- API SL
- JASO MA
- SAE 20W-50
- ADNOC Voyager MPX4-L  
API SL JASO MA2

The only synthetic-based JASO MA2, API SL in the market.

**API and JASO Approved.**



# AUTOMATIC TRANSMISSION FLUIDS (ATF)

ADNOC mineral and synthetic ATFs are very high-performance automatic transmission fluids designed to provide excellent performance in a wide variety of new transmission types used in service and commercial vehicles.

They are made using highly refined base oils and advanced additives.

- ATF Universal-Fully Synthetic, Allison C-4 TES 295  
DEX VI  
Toyota Type WS
- ATF-Automatic Transmission Fluid  
DEXRON III H
- CVT-Continuously Variable Transmission Fluid  
Wherever CVT is recommended  
Toyota TC, FE



# AUTOMOTIVE GEAR OILS

ADNOC multigrade gear oils are manufactured using high-quality base oils and selected EP sulphur-phosphorus additives that provide protection against load wear, rust and oxidation.

- Gear Oil GX SAE 80W-90 API GL-5
- Gear Oil GX SAE 85W-140 API GL-5
- Gear Oil GX SAE 85W-90 API GL-5



# GREASES

ADNOC greases are primarily made using lithium stearate soap and extreme-pressure additives. These are multipurpose and extreme-pressure greases formulated to provide extra protection against wear, rust, and water washout while offering excellent load-carrying ability.

- ADNOC GREASE EP  
Available in NLGI grade EP2, EP3
- ADNOC GREASE MP  
Available in NLGI grade MP2, MP3
- ADNOC GREASE LX EP- Lithium Complex Grease  
Available in NLGI grade 2, 3
- ADNOC GREASE EP Moly  
Available in NLGI grade EP2, EP3  
(Molybdenum Disulphide  $\text{MoS}_2$ )



# COOLANTS

ADNOC AUTOCOOL LL coolants are based on advanced organic acid inhibitor technology and additives approved by most OEMs worldwide.

These coolants exceed the performance levels of CAT A4.05.09.01, Daimler (Mercedes Benz) 325.5, Komatsu 07.892(2009), Cummins IS N14, and DAF 74002 and are suitable for use in Toyota, Ford, Land Rover, Hyundai/Kia, VW Volkswagen and Volvo.

- ADNOC AUTOCOOL LL (Long Life) 33%,
- ADNOC AUTOCOOL LL (Long Life) 50%,
- ADNOC AUTOCOOL LL (Long Life) 100%,



# BRAKE FLUID

ADNOC brake fluids are formulated as non-petroleum chemical fluids such as glycol and glycol ethers. These are formulated using special-purpose additives such as anti-rust, anti-wear and seal-swell agents.

They are used in the braking systems of motor vehicles such as passenger cars, trucks, buses and trailers.

- ADNOC BRAKE FLUID DOT-4



# HYDRAULIC OILS

ADNOC hydraulic oils are a series of fluids formulated with high-quality base oils and additives to provide anti-wear, anti-rust, anti-oxidation properties that protect the pumps and other moving parts.

- ADNOC HYDRAULIC OIL H  
VG 32, 46, 68, 100, 150
- ADNOC HYDRAULIC OIL ZF - VG 46  
Zinc-free oils suitable for hydraulic pumps  
containing silver or silver-plated parts.



# MARINE OILS

ADNOC Outboard Super Engine Oil is a high-quality two-stroke engine oil specially formulated for use in water-cooled two-stroke engines that requires TC-W3 specifications by NMMA (National Marine Manufacturers Association) or earlier specifications.

- Outboard Super 2T Engine Oil  
NMMA TC-W3  
API TC



# OTHER INDUSTRIAL GRADES

## **INDUSTRIAL GEAR OIL EP**

VG 220, 320, 460 - meeting AGMA-9005 D-94, US Steel 224, and David Brown S1. 53. 101.

## **COMPRESSOR OIL**

VG 46, 68, 100, 150 - meeting DIN 51506 VD-L specification

## **SPINDLE OIL**

Available in VG 10 for textile industry machinery.

## **TURBINE OIL**

Available in VG 32, 46, 68, 100 - recommended for GE, ALSTOM and Siemens turbines.

## **TRANSFORMER OIL**

Inhibited and uninhibited, meeting IEC 60296 having a breakdown voltage of 70 kv.

## **WIRE ROPE LUBRICANT**

ADNOC Grease WR NLGI 2.

## **RAILROAD ENGINE OIL**

SAE 20W-40 and SAE 40-GE 4th Generation for long life and LMOA 5th and 6th Generation.

## **CUTTING OIL**

ADNOC S-CUT soluble cutting Oil.

## **ROCK DRILL OIL**

Available in VG 100, 150, 220 grades.

## **HEAT TRANSFER OIL**

Available in VG 10, 20, 30



# FIND US HERE

## MWANZA BRANCH

Plot No 205, Kenyatta Road  
Mwanza, Tanzania  
Mobile: +255 686 188 295  
E-mail: mwanza@nastyres.co.tz

## ARUSHA BRANCH

P.O. Box 11272  
Falcon Estate, Themti Industrial Area, Njiro  
Arusha, Tanzania  
Mobile: +255 683 984 333  
+255 789 432 715  
E-mail: arusha@nastyres.co.tz

## DODOMA BRANCH

Plot 107, Block A, Kazembo Street Mlimani Area  
Dodoma, Tanzania  
Mobile: +255 687 632 170  
E-mail: dodoma@nastyres.co.tz


## DAR ES SALAAM

### HEAD OFFICE

P.O. Box 39827  
Plot No 20, Vingunguti Industrial Area,  
Nyerere Road  
Dar es Salaam, Tanzania  
Mobile: +255 788 464 941  
+255 788 066 974  
+255 789 870 010  
E-mail: sales@nastyres.co.tz

## MBEYA BRANCH

Plot No.02 & 16, Block 'U', Soweto  
Mbeya, Tanzania  
Office: +255 714 696 970  
E-mail: mbeya@nastyres.co.tz



## PRODUCT LIST

SCAN HERE FOR OUR FULL  
RANGE OF PRODUCTS &  
SERVICES!

