





DRIVE WITH CONFIDENCE

**UNLEASH
THE POWER**



SUSTAINABLE



RELIABLE



TRUSTED
BY LEADING
MANUFACTURERS



ADNOC Lubricants, a division of ADNOC Distribution, was established in 1979 to manufacture market and distribute locally in the UAE and in other international markets. ADNOC product range includes premium high-performance products covering automotive, industrial, marine and other specialty lubricants under the ADNOC Voyager brand using ADNOC's high quality Group III base oil.

NAS Tyre Services LTD is NOW an authorized distributor in Tanzania.

APPROVAL & PERFORMANCE - OEM APPROVALS



DIESEL ENGINE OILS FOR TRUCKS

Synthetic - ADNOC Voyager

ADNOC semi-synthetic diesel engine oils are high-performance crankcase lubricants engineered for heavy-duty diesel applications. They provide exceptional thermal stability, low volatility, and superior load-carrying capacity while preventing sludge build-up. Suitable for use in trucks, buses, construction machinery, mining equipment, and gensets.

- ADNOC Voyager Super Plus HD
SAE 10W-40 API CK-4/SN



Semi-Synthetic ADNOC Voyager Plus ENGINE OILS for Diesel and Gasoline

ADNOC semi-synthetic diesel engine oils are high performance crank case oil primarily for diesel engines. It provides excellent high temperature properties, thermal stability, low volatility and good load carrying properties.

- ADNOC Voyager Plus
SAE 15W-40 API CI-4/SL
- ADNOC Voyager Plus
SAE 20W-50 API CI-4/SL.



PETROL ENGINE OILS FOR CARS AND SUVs

Fully Synthetic - ADNOC Voyager

ADNOC fully synthetic, API-approved petrol engine oils are advanced, energy-efficient lubricants crafted with premium hydro-cracked and hydro-treated base oils. They ensure optimal viscosity control, reduce oil consumption, and deliver reliable performance. Recommended for both new-generation and older petrol cars and SUVs.

- Voyager Platinum Plus
ECO SAE 5W-30 API SQ
- Voyager Gold SAE 5W-30
API SN
- Voyager Gold SAE 5W-40
API SN



2W / 3W FOUR STROKE OILS

4t Semi synthetic Oils

4T Semi Synthetic lubricants are high quality synthetic blend oil made from 100 percent virgin base oil, having JASO MA2 approvals. They meet the requirements of almost all the engines in motorcycles running on 4 stroke engines.

- **ADNOC Voyager MPX4-L API SL JASO MA2**

- **API SL**

- **JASO MA**

Only **Synthetic based** JASO MA2, API SL in the market in the **mineral product range**

API and JASO Approved Product

Full synthetic also available

- **SAE 20W-50**



AUTOMATIC TRANSMISSION FLUIDS (ATF)

ADNOC Mineral and Synthetic ATF's are very high-performance automatic transmission fluids (ATF) designed to provide good performance in a wide variety of new types of transmissions in service and commercial vehicles. It is made using very high refined base oils and additives.

- ATF Universal-Fully Synthetic, Allison C-4 TES 295, DEX VI, Toyota Type WS
- CVT-Continuously Variable Transmission Fluid
Wherever CVT is recommended
Toyota TC,FE
- ATF-Automatic Transmission Fluid
DEXRON III H



AUTOMOTIVE GEAR OILS

Multigrade Gear Oils

ADNOC multigrade gear oils are made using high quality base oils and selected EP Sulphur-phosphorous additives that provides protection against load wear rust and oxidation.

- Gear Oil GX SAE 80W-90 API GL-5
- Gear Oil GX SAE 85W-140 API GL-5
- Gear oil GX SAE 85W-90 API GL-5



GREASES

ADNOC greases are made of majorly using Lithium stearate soap and extreme pressure additives. These are multi-purpose and extreme pressure greases formulated to provide extra protection against wear, rusting, water washout and provide excellent load carrying ability.

- ADNOC GREASE EP available in NLGI grade EP2, EP3
- ADNOC GREASE MP available in NLGI grade MP2, MP3
- ADNOC GREASE LX EP- Lithium Complex Grease available in NLGI grade 2,3
- ADNOC GREASE EP Moly available in NLGI grade EP2, EP3 (Molybdenum Disulphide MoS₂)



COOLANTS

ADNOC AUTOCOOL LL coolants are based on advanced Organic acid inhibitor technology and additives approved by most OEMs worldwide. These coolants exceed the performance level of CAT A4.05.09.01, Daimler (Mercedes Benz) 325.5, Komatsu 07.892(2009), Cummins IS u N14, DAF 74002 and suitable for use in Toyota, Ford, Land Rover, Hyundai/Kia, VW Volkswagen and Volvo.

- ADNOC AUTOCOOL LL (Long Life) 33%,
- ADNOC AUTOCOOL LL (Long Life) 50%,
- ADNOC AUTOCOOL LL (Long Life) 100%,



BRAKE FLUID

ADNOC Brake Fluids are formulated as non petroleum chemical fluids such as Glycol and glycol ethers. These are formulated using special purpose additives such as anti-rust, anti wear and seal swell agents. These are used in the braking system of any motor vehicle such as passenger cars, trucks, bus or Trailer.

- ADNOC BRAKE FLUID DOT-4



HYDRAULIC OILS

ADNOC hydraulic oils are a series of fluids formulated with high quality base oils and additives to provide anti-wear, anti-rust, anti-oxidation properties to protect the pumps and other moving parts.

- ADNOC HYDRUALIC OIL H VG 32,46,68,100,150
- ADNOC HYDRAULIC OIL ZF- VG 46 Zinc Free oils suitable for hydraulic pumps containing silver- or silver-plated parts.



MARINE OILS

ADNOC outboard Super Engine oil is a high quality two stroke engine oil specially formulated for use in water-cooled two-stroke engines that requires TC-W3 by NMMA (National Marine Manufacturing Association) or earlier specifications.

- Outboard Super 2T Engine Oil NMMA TC-W3 API TC



OTHER INDUSTRIAL GRADES

INDUSTRIAL GEAR OIL EP in VG 220,320,460- meeting AGMA-9005 D-94, US STEEL 224 and DAVID BROWN S1.53 101.

COMPRESSOR OIL in VG 46,68,100,150- Meeting DIN 51506 VD-L specification

HEAT TRANSFER OIL available in VG 10, 20, 30

SPINDLE OILS available in VG 10 for Textile Industry Machinery.

TURBINE OILS available in VG 32,46,68,100 Recommended for GE, ALSTOM and SIEMENS Turbines.


TRANSFORMER OILS Inhibited and Uninhibited meeting IEC 60296 having a breakdown voltage of 70 kv.

WIRE ROPE LUBRICANTS ADNOC Grease WR NLGI 2.

RAILROD ENGINE OILS - SAE 20W-40 and SAE 40-GE 4th Generation for longlife and LMOA 5th and 6th Generation.

CUTTING OILS - ADNOC S-CUT Soluble Cutting Oil.

ROCK DRILL OILS available in VG 100, 150, 220 grades.



FIND US HERE

MWANZA BRANCH

Plot No 205, Kenyatta Road
Mwanza, Tanzania
Mobile: +255 686 188 295
E-mail: mwanza@nastyres.co.tz

ARUSHA BRANCH

P.O. Box 11272
Falcon Estate, Themi Industrial Area, Njiro
Arusha, Tanzania
Mobile: +255 683 984 333
+255 789 432 715
E-mail: arusha@nastyres.co.tz

DODOMA BRANCH

Plot 107, Block A, Kazembo Street Mlimani Area
Dodoma, Tanzania
Mobile: +255 687 632 170
E-mail: dodoma@nastyres.co.tz


DAR ES SALAAM

HEAD OFFICE

P.O. Box 39827
Plot No 20, Vingunguti Industrial Area,
Nyerere Road
Dar es Salaam, Tanzania
Mobile: +255 788 464 941
+255 788 066 974
+255 789 870 010
E-mail: sales@nastyres.co.tz

MBEYA BRANCH

Plot No.02 & 16, Block 'U', Soweto
Mbeya, Tanzania
Office: +255 714 696 970
E-mail: mbeya@nastyres.co.tz



PRODUCT LIST

SCAN HERE FOR OUR FULL
RANGE OF PRODUCTS &
SERVICES!

